



Stormorken syndrome

Stormorken syndrome is a rare condition that affects many body systems. Affected individuals usually have thrombocytopenia, in which there are abnormally low numbers of blood cells called platelets. Platelets are involved in normal blood clotting; a shortage of platelets typically results in easy bruising and abnormal bleeding. In addition, affected individuals often have a muscle disorder, called tubular aggregate myopathy, that leads to muscle weakness. Another feature of Stormorken syndrome is permanent constriction of the pupils of the eyes (miosis), which may be caused by abnormalities in the muscles that control the size of the pupils. Other features include lack of a functioning spleen (asplenia), scaly skin (ichthyosis), headaches, and difficulty with reading and spelling (dyslexia).

Frequency

Stormorken syndrome is a rare disorder. Approximately a dozen cases have been reported in the medical literature.

Genetic Changes

Stormorken syndrome is caused by a mutation in the *STIM1* gene. The protein produced from this gene is involved in controlling the entry of positively charged calcium atoms (calcium ions) into cells. The STIM1 protein recognizes when calcium ion levels are low and stimulates the flow of ions into the cell through special channels in the cell membrane called calcium-release activated calcium (CRAC) channels. The flow of calcium ions through CRAC channels triggers signaling within cells that helps control gene activity, cell growth and division, and immune function.

The *STIM1* gene mutation involved in Stormorken syndrome leads to production of a STIM1 protein that is constantly turned on (constitutively active), which means it continually stimulates calcium ion entry through CRAC channels regardless of ion levels. Researchers suggest that the abnormal ion flow in platelets causes the cells to die earlier than usual, leading to thrombocytopenia and bleeding problems in people with Stormorken syndrome. It is unknown how constitutively active STIM1 leads to the other features of the disorder.

Inheritance Pattern

This condition is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder. In some cases, an affected person inherits the mutation from one affected parent. Other cases result from

new mutations in the gene and occur in people with no history of the disorder in their family.

Other Names for This Condition

- Stormorken-Sjaastad-Langslet syndrome
- thrombocytopathy, asplenia, and miosis

Diagnosis & Management

Genetic Testing

- Genetic Testing Registry: Stormorken syndrome
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1861451/>

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Encyclopedia: Thrombocytopenia
<https://medlineplus.gov/ency/article/000586.htm>
- Health Topic: Bleeding Disorders
<https://medlineplus.gov/bleedingdisorders.html>

Genetic and Rare Diseases Information Center

- Thrombocytopathy asplenia miosis
<https://rarediseases.info.nih.gov/diseases/5188/thrombocytopathy-asplenia-miosis>

Additional NIH Resources

- National Heart Lung and Blood Institute: What is Thrombocytopenia?
<https://www.nhlbi.nih.gov/health/health-topics/topics/thcp/>

Educational Resources

- Cleveland Clinic: Thrombocytopenia
<http://my.clevelandclinic.org/health/articles/thrombocytopenia>
- MalaCards: stormorken syndrome
http://www.malacards.org/card/stormorken_syndrome
- Orphanet: Stormorken-Sjaastad-Langslet syndrome
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=3204
- The University of Oklahoma Health Sciences Center
<https://news.ouhsc.edu/templates/?a=1577>
- University of Oslo Institute of Clinical Medicine
<http://www.med.uio.no/klinmed/english/research/projects/genetic-aberration-stormorken-syndrome/>

Patient Support and Advocacy Resources

- World Federation of Hemophilia
<https://www.wfh.org/en/sslpage.aspx?pid=654>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28Stormorken+syndrome%5BALL%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D>

OMIM

- STORMORKEN SYNDROME
<http://omim.org/entry/185070>

Sources for This Summary

- Kilch T, Alansary D, Peglow M, Dörr K, Rychkov G, Rieger H, Peinelt C, Niemeyer BA. Mutations of the Ca²⁺-sensing stromal interaction molecule STIM1 regulate Ca²⁺ influx by altered oligomerization of STIM1 and by destabilization of the Ca²⁺ channel Orai1. *J Biol Chem*. 2013 Jan 18;288(3):1653-64. doi: 10.1074/jbc.M112.417246. Epub 2012 Dec 4.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/23212906>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3548475/>
- Misceo D, Holmgren A, Louch WE, Holme PA, Mizobuchi M, Morales RJ, De Paula AM, Stray-Pedersen A, Lyle R, Dalhus B, Christensen G, Stormorken H, Tjønnfjord GE, Frengen E. A dominant STIM1 mutation causes Stormorken syndrome. *Hum Mutat*. 2014 May;35(5):556-64. doi: 10.1002/humu.22544. Epub 2014 Apr 9.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/24619930>

- Morin G, Bruechle NO, Singh AR, Knopp C, Jedraszak G, Elbracht M, Brémond-Gignac D, Hartmann K, Sevestre H, Deutz P, Hérent D, Nürnberg P, Roméo B, Konrad K, Mathieu-Dramard M, Oldenburg J, Bourges-Petit E, Shen Y, Zerres K, Ouadid-Ahidouch H, Rochette J. Gain-of-Function Mutation in STIM1 (P.R304W) Is Associated with Stormorken Syndrome. *Hum Mutat.* 2014 Oct;35(10):1221-32. doi: 10.1002/humu.22621.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/25044882>
- Nesin V, Wiley G, Kousi M, Ong EC, Lehmann T, Nicholl DJ, Suri M, Shahrizaila N, Katsanis N, Gaffney PM, Wierenga KJ, Tsiokas L. Activating mutations in STIM1 and ORAI1 cause overlapping syndromes of tubular myopathy and congenital miosis. *Proc Natl Acad Sci U S A.* 2014 Mar 18; 111(11):4197-202. doi: 10.1073/pnas.1312520111. Epub 2014 Mar 3.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/24591628>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3964084/>
- Parekh AB. Local Ca²⁺ influx through CRAC channels activates temporally and spatially distinct cellular responses. *Acta Physiol (Oxf).* 2009 Jan;195(1):29-35. doi: 10.1111/j.1748-1716.2008.01919.x. Epub 2008 Oct 28. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18983453>
- Stormorken H, Sjaastad O, Langslet A, Sulg I, Egge K, Diderichsen J. A new syndrome: thrombocytopathia, muscle fatigue, asplenia, miosis, migraine, dyslexia and ichthyosis. *Clin Genet.* 1985 Nov;28(5):367-74.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/4085141>
- Zhou Y, Meraner P, Kwon HT, Machnes D, Oh-hora M, Zimmer J, Huang Y, Stura A, Rao A, Hogan PG. STIM1 gates the store-operated calcium channel ORAI1 in vitro. *Nat Struct Mol Biol.* 2010 Jan; 17(1):112-6. doi: 10.1038/nsmb.1724. Epub 2009 Dec 27.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20037597>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2902271/>

Reprinted from Genetics Home Reference:
<https://ghr.nlm.nih.gov/condition/stormorken-syndrome>

Reviewed: August 2014
Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services